

SAFETY DATA SHEET CLEENOL RINSEBRITE

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name CLEENOL RINSEBRITE 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Cleaning agent. 1.3. Details of the supplier of the safety data sheet Supplier Cleenol Group Ltd **Neville House Beaumont Road** Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk 1.4. Emergency telephone number **Emergency telephone** Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification (EC 1272/2008) Physical hazards Not Classified Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Environmental hazards Not Classified 2.2. Label elements Pictogram

Signal word	Warning
Hazard statements	H315 Causes skin irritation.
	H319 Causes serious eye irritation.

Precautionary statements	P264 Wash contaminated skin t P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash P305+P351+P338 IF IN EYES: contact lenses, if present and ea P332+P313 If skin irritation occu P337+P313 If eye irritation pers P362+P364 Take off contamina	with plenty of water Rinse cautiously wi asy to do. Continue urs: Get medical adv ists: Get medical adv	th water for several minutes. Remove rinsing. vice/ attention. lvice/ attention.
Supplementary precautionary statements	P321 Specific treatment (see mo	edical advice on this	s label).
2.3. Other hazards			
Other Hazards	None		
SECTION 3: Composition/info	rmation on ingredients		
3.2. Mixtures			
FATTY ALCOHOL ETHOXYL CAS number: —	ATE POLYMER		10-30%
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412		Classification (67/54 Xi;R36/38.	48/EEC or 1999/45/EC)
PROPAN-2-OL			5-10%
CAS number: 67-63-0	EC number: 200-661	-7	REACH registration number: 01- 2119457558-25-0000
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		Classification (67/5 4 F;R11 Xi;R36 R67	48/EEC or 1999/45/EC)
CITRIC ACID			<1%
CAS number: 77-92-9	EC number: 201-069	-1	REACH registration number: 01211945702642XXXX
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335		Classification (67/5 4 Xi;R36/37/38.	48/EEC or 1999/45/EC)
The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.			
SECTION 4: First aid measure	9S		

4.1. Description of first aid measures

Ingestion

Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15
	minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	s and effects, both acute and delayed
Inhalation	May cause respiratory irritation.
Ingestion	May cause discomfort if swallowed.
Skin contact	May cause skin irritation.
Eye contact	May cause eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
SECTION 5: Firefighting measurements	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective
	clothing.
SECTION 6: Accidental release	-
SECTION 6: Accidental release	-
SECTION 6: Accidental release	se measures
SECTION 6: Accidental releas	se measures etective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet.
SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions	se measures etective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet.
SECTION 6: Accidental release 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution	se measures
SECTION 6: Accidental release 6.1. Personal precautions, propersonal precautions 6.2. Environmental precautions Environmental precautions	se measures
SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for	se measures
SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for Methods for cleaning up	se measures
SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section	See measures bective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. Image: Section of any environmental contamination. containment and cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. ms See section 3,8 & 13 for further information
SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections	se measures tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. S Avoid or minimise the creation of any environmental contamination. containment and cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. See section 3,8 & 13 for further information
SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and stor	se measures tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. S Avoid or minimise the creation of any environmental contamination. containment and cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. See section 3,8 & 13 for further information
SECTION 6: Accidental release 6.1. Personal precautions, propersonal precautions 6.2. Environmental precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and stor 7.1. Precautions for safe hance Usage precautions	se measures tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. Se Avoid or minimise the creation of any environmental contamination. containment and cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Se section 3,8 & 13 for further information rrage ling
SECTION 6: Accidental release 6.1. Personal precautions, propersonal precautions 6.2. Environmental precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and stor 7.1. Precautions for safe hance Usage precautions	se measures tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. Avoid or minimise the creation of any environmental contamination. containment and cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. ms See section 3,8 & 13 for further information rrage ling Avoid spilling. Avoid contact with skin and eyes.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SHELF LIFE OF DILUTION 12 MONTHS

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

CITRIC ACID

Long-term exposure limit (8-hour TWA): 4 mg/m³ Short-term exposure limit (15-minute): 10 mg/m³ WEL = Workplace Exposure Limit

CITRIC ACID (CAS: 77-92-9)

Ingredient comments

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Use barrier creams to prevent skin contact.
Hygiene measures	Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Not relevant.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Blue.
Odour	Slight alcoholic.
рН	2-4
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	>70c°C CC (Closed cup).
Relative density	1.0 @ 20C°C

Solubility(ies)	Soluble in water.
Comments	Information given is applicable to the product as supplied.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decomposition products	
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).
SECTION 11: Toxicological in	formation
SECTION 11: Toxicological in 11.1. Information on toxicological	
11.1. Information on toxicolog	ical effects
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg)	ical effects 3,571.43
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg) Ingestion	ical effects 3,571.43 May cause discomfort if swallowed.
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting.
11.1. Information on toxicolog Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting.
11.1. Information on toxicologi Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact SECTION 12: Ecological Information	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting. mation
11.1. Information on toxicologi Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting. mation
11.1. Information on toxicologi Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting. mation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature.
11.1. Information on toxicologi Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degradate	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting. mation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature.
11.1. Information on toxicologi Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degradate	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting. mation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. ability The product is biodegradable.
11.1. Information on toxicologi Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrada Persistence and degradability	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting. mation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. ability The product is biodegradable.
11.1. Information on toxicologi Acute toxicity - oral ATE oral (mg/kg) Ingestion Skin contact Eye contact SECTION 12: Ecological Infor Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degrada Persistence and degradability 12.3. Bioaccumulative potential	ical effects 3,571.43 May cause discomfort if swallowed. Skin irritation should not occur when used as recommended. Vapour or spray in the eyes may cause irritation and smarting. mation Not regarded as dangerous for the environment. The product is not believed to present a hazard due to its physical nature. ability The product is biodegradable.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance

Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	17/10/2017
Revision	10
Supersedes date	29/09/2017
SDS number	A10
Risk phrases in full	Not classified. R11 Highly flammable. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.