

SAFETY DATA SHEET MEDISAN 70% HAND SANITIZING GEL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MEDISAN 70% HAND SANITIZING GEL

 Internal identification
 077159, 077137, 077123

 Container size
 25x50ml, 6x500ml, 2x5L

UFI: CDM1-E0UH-N00E-CS78

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hand sanitizer.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms





Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Revision date: 26/11/2020 Revision: 27 Supersedes date: 23/10/2020

MEDISAN 70% HAND SANITIZING GEL

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container in accordance with national regulations.

UFI: XDM1-Y0T3-900F-PK17

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL 70%

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-

2119457610-43-XXXX

Classification

Flam. Liq. 2 - H225

The full text for all hazard statements is displayed in Section 16.

Ingredient notes Contains Glycerol; a humectant and emollient for skin care, which does not add to toxicity or

promote allergy.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation No special treatment required.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Keep

affected person under observation. Get medical attention if a large quantity has been

ingested.

Skin contact Not applicable - this product is safe for regular application to the skin.

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids

wide apart. Continue to rinse. Get medical attention if symptoms are severe or persist after

washing.

4.2. Most important symptoms and effects, both acute and delayed

General information The product is considered to be a low hazard under normal conditions of use.

Inhalation No adverse effects known. No specific symptoms known. The product is considered to be a

low hazard under normal conditions of use.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact The product is considered to be a low hazard under normal conditions of use.

Eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

Specific hazards Highly flammable liquid and vapour.

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire with normal precautions from a reasonable distance. Containers close to fire should be removed or cooled with water. Cool containers exposed to heat with water spray and

remove them from the fire area if it can be done without risk.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Take care as floors and other surfaces may become slippery. Do not

touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions No negative effects on the aquatic environment are known.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Flush contaminated area with plenty of water. Discharge of small quantities to the sewer with

plenty of water may be permitted. Allow small quantities to evaporate to the atmosphere in a

safe, open place.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place. Container must be kept

tightly closed when not in use. Do not store near heat sources or expose to high

temperatures. Keep away from heat, sparks and open flame. Store at temperatures between

0°C and 40°C.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Short-term exposure limit (15-minute): WEL

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering

controls

Not applicable.

Eye/face protection No specific eye protection required during normal use. Eyewear complying with an approved

standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection Not applicable.

Other skin and body

protection

Not applicable. No specific requirements are anticipated under normal conditions of use.

Respiratory protection
No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Gel.

Colour Colourless.
Odour Alcoholic.

pH Neutral.

Flash point 21°C Pensky-Martens closed cup.

Relative density ~ 0.88 @ 20°C

Solubility(ies) Soluble in water.

Auto-ignition temperature No information available.

Decomposition Temperature Not determined.

Viscosity 4000 - 6000 cP @ 20°C Slightly viscous.

Explosive properties No specific test data are available.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 21 - 23

Volatile organic compound See SECTION 3: Composition/information on ingredients.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

Revision date: 26/11/2020 Revision: 27 Supersedes date: 23/10/2020

MEDISAN 70% HAND SANITIZING GEL

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

Heating may generate flammable vapours.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Skin corrosion/irritation

Skin corrosion/irritation Not corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Does not contain any substances known to be toxic to reproduction.

development

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Classification not possible.

General information Only large quantities are likely to have adverse effects on human health.

Revision date: 26/11/2020 Revision: 27 Supersedes date: 23/10/2020

MEDISAN 70% HAND SANITIZING GEL

Inhalation Prolonged or repeated exposure may cause the following adverse effects: Headache.

Intoxication.

Ingestion Gastrointestinal symptoms, including upset stomach. Intoxication. Headache.

Skin contact The product is considered to be a low hazard under normal conditions of use.

Eye contact May cause discomfort. Causes serious eye irritation.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The product is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor

Discharge of small quantities to the sewer with plenty of water may be permitted.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1993

UN No. (IMDG) 1993

UN No. (ICAO) 1993

UN No. (ADN) 1993

14.2. UN proper shipping name

Proper shipping name

FLAMMABLE LIQUID, N.O.S. (ETHANOL)

(ADR/RID)

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (ETHANOL)

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (ETHANOL)

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (ETHANOL)

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group

ICAO packing group

ADN packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 2

Emergency Action Code •3YE

Hazard Identification Number 33

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Guidance EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances

Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 26/11/2020

Revision 27

Supersedes date 23/10/2020

SDS number 10216

Hazard statements in full H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.