

# SAFETY DATA SHEET CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Product name** CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House Beaumont Road

Banbury

Oxon OX16 1RB

IJK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

### 1.4. Emergency telephone number

**Emergency telephone** Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank

holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that

the product is registered with the National Poisons Information Service

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

**Environmental hazards** Not Classified

Classification (67/548/EEC or Xi;R38,R41.

1999/45/EC)

Human health Risk of serious damage to eyes. Prolonged skin contact may cause redness and irritation.

May cause skin sensitisation or allergic reactions in sensitive individuals.

2.2. Label elements

**Pictogram** 



# CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

> P280 Wear eye protection. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

**Contains** SODIUM DODECYL BENZENE SULPHONATE, ALKYL C10-C16 SULPHATE,

TRIETHANOLAMINE, C12-C15 ALCOHOL ETHOXYLATE 3 EO

statements

Supplementary precautionary P321 Specific treatment (see medical advice on this label).

2.3. Other hazards

Other Hazards None

### SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

#### SODIUM DODECYL BENZENE SULPHONATE 5-10%

CAS number: 68411-30-3 REACH registration number: 01-

2119489428-22-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi:R38.R41.

Eye Dam. 1 - H318

**ALKYL C10-C16 SULPHATE** 1-5%

CAS number: 72906-11-7 EC number: 276-987-9 REACH registration number: 01-

2119488639-16-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41.

Eye Dam. 1 - H318

**TRIETHANOLAMINE** 1-5%

CAS number: 102-71-6

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22,R48/22. Xi;R38,R41.

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373

# CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

C12-C15 ALCOHOL ETHOXYLATE 3 EO

1-5%

CAS number: 68439-45-2 M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xi;R41. N;R50.

Aquatic Acute 1 - H400

PROPAN-2-OL 1-5%

CAS number: 67-63-0 EC number: 200-661-7 REACH registration number: 01-

2119457558-25-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F;R11 Xi;R36 R67

Eye Irrit. 2 - H319 STOT SE 3 - H336

POTASSIUM HYDROXIDE <1%

CAS number: 1310-58-3 EC number: 215-181-3 REACH registration number: 01-

2119487136-33-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 C;R35 Xn;R22

Skin Corr. 1A - H314 Eye Dam. 1 - H318

BRONOPOL (INN) <1%

CAS number: 52-51-7 EC number: 200-143-0

M factor (Acute) = 10

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R21/22 Xi;R37/38,R41 N;R50

Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

# CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention

immediately. Continue to rinse.

### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** May cause respiratory irritation.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** May cause skin irritation.

**Eye contact** May cause serious eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Burning may produce irritating, toxic and obnoxious fumes.

Oxides of Carbon, Nitrogen and Sulphur.

### 5.3. Advice for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clo

clothing.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Chemical storage.

### 7.3. Specific end use(s)

# CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SHELF LIFE OF DILUTION

12 MONTHS

# SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

# Occupational exposure limits

### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

#### POTASSIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

# 8.2. Exposure controls

### Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat,

drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

# **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** Liquid. pН 10-12

9.2. Other information

Other information None.

# CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

# SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

products

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 19,607.84313725

**Inhalation** Irritating to respiratory system.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Liquid may irritate skin.

**Eye contact** Risk of serious damage to eyes.

# SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

### 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

# CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

# 12.6. Other adverse effects

Other adverse effects None known.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

Proper shipping name

(ADR/RID)

Proper shipping name (IMDG) na

Proper shipping name (ICAO) na

Proper shipping name (ADN) na

### 14.3. Transport hazard class(es)

No transport warning sign required.

# 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

na

No.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

# CRYSTALBRITE AQUAMARINE LAUNDRY LIQUID

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

**Guidance** Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Safety Data Sheets for Substances and Preparations

Approved Classification and Labelling Guide (Sixth edition) L131.

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

# SECTION 16: Other information

Revision date 05/05/2017

Revision 10

Supersedes date 27/01/2016
SDS number CBAQU

Risk phrases in full R22 Harmful if swallowed.

R35 Causes severe burns. R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Hazard statements in full H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.